

Replant Restrictions for Corn

Herbicides

Joe Masabni

UKREC

Princeton, KY



Corn Herbicides

PRE + POST

- Atrazine
- Callisto
- Dual
- Bicep
- Prowl

POST

- Lightning
- Accent
- Beacon
- Permit
- Liberty
- Gramoxone
- Roundup

Atrazine

- Land treated with atrazine should not be planted to any crop except corn or sorghum until the following year or injury may occur.
- If atrazine is applied after June 10, do not rotate with crops other than corn or sorghum the next year or injury may occur.
- Do not plant sugar beets, tobacco, vegetables (including dry bean), spring-seeded small grains or small-seeded legumes and grasses the year following atrazine application or injury may occur

Callisto

- **Immediately: Corn**
- **120 days: Small grains**
- **Following season but not less than 10 months: Soybean, sorghum, cotton, potato, sunflower, canola, tobacco, alfalfa, and sweet corn**
- **18 months: Sugar beet, pea, dry bean, snap bean, cucurbit, red clover, other rotational crop**

Dual Magnum

- Immediately: Any labeled crop
- 4 months: Alfalfa
- 4.5 months: Barley, oats, rye, wheat
- 6 months: Tomato
- 9 months: Clover
- Next spring: Root crops, tobacco, barley, buckwheat, milo, rice, rye, cabbage, pepper

Bicep II Magnum

- **Immediately: corn, soybean**
- **Next spring: soybean, cotton, peanut**

Atrazine portion: If applied after June 10, do not rotate with crops other than corn or sorghum the next year or injury may occur.

Do not plant sugar beets, tobacco, vegetables (including dry bean), spring-seeded small grains or small-seeded legumes and grasses the year following atrazine application or injury may occur

Prowl

- 4 months: Winter wheat/barley (unless using 4.8 pt)
- 12 month + plow to a 12" depth to mix soil:
Sugar beet, red beet, spinach
- 12 month: All crops

Lightning – Clearfield corn

- Anytime: Clearfield corn hybrids
- 4 months: Rye, wheat
- 8.5 months: Corn, corn for seed
- 9 months: Soybean
- 9.5 months: Alfalfa, barley, bean, pea, peanut, tobacco
- 18 months: Cotton, lettuce, oat, popcorn, safflower, sorghum, sunflower, sweet corn
- 26 months: Potato
- 40 months: All other crops, with a field bioassay

Accent

pH ≤ 7.5

pH > 7.5

Sorghum

10 months

18 months

Sunflower

11 months*

18 months

* : precipitation must exceed 14” following application

pH ≤ 6.5

pH > 6.5

Sugar Beet

10 months

18 months

All other

10 months

18 months

Accent: high pH, cold soil favor injury

- Anytime: Corn (field, seed)
- 0.5 month: Soybean
- 4 months: Winter wheat/barley/rye
- 8 months: Spring wheat/barley, oats
- 10 months: Corn (pop, sweet), cry bean, cotton, pea, snap bean
- 12 months: Alfalfa, red clover

Beacon

- Immediately: IR or IMR field corn
- 14 days: Field corn
- 3 months: Winter wheat/barley, rye
- 8 months: Alfalfa, sweet corn, popcorn, cotton, dry bean, peanut, pea, sorghum, soybean, sunflower, spring-seeded small grain, tobacco, (potato, green bean – with 0.38 oz/A)
- 18 months: All Other crops

Permit

- **Immediately: IR/IMR corn, sugarcane**
- **1 month: IT corn, corn**
- **2 months: Winter barley, forage and cereal grasses, oats**
- **3 months: Sweet corn, popcorn**
- **4 months: Cotton**
- **6 months: Peanut**
- **8 months: Transplanted Tomato**
- **9 months: Alfalfa, clover, pea, potato, cucurbits, soybean**
- **10 months: Pepper**
- **12 months: Eggplant, radish**
- **15 months: Cabbage, canola, carrot, mint**
- **18 months: Broccoli, cauliflower, collard, lettuce**
- **24 months: Sugar beet, red beet**
- **36 months: Spinach**

Liberty

- **Immediately: Corn, soybean, canola, sugar beet (IR-varieties)**
- **70 days: Wheat, barley, buckwheat, millet, oats, rye, sorghum**
- **120 days: All other crops**

Gramoxone Max

- **A non-residual contact herbicide for control of many broadleaves and grasses.**
- **Inactivated on contact with soil.**
- **All rotational crops may be planted immediately after the last application of Gramoxone Max.**

Roundup

- **A non-residual systemic herbicide for control of many broadleaves and grasses.**
- **A 30 day period is recommended before replanting any crop.**