Material Safety Data Sheet

Capture® LFR Soil Insecticide

SDS #: 6303-A

Revision Date: 2012-04-26

Version 1



This MSDS has been prepared to meet U.S. OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Workplace Hazardous Materials Information System (WHMIS) requirements.

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Capture® LFR Soil Insecticide

Formula code 6303-A

Active Ingredient(s) Bifenthrin

Alternate Commercial Name Capture LFR Insecticide

Synonyms FMC 54800; (2-methyl[1,1'-biphenyl]-3-yl)methyl

3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate; IUPAC:

2-methylbiphenyl-3-ylmethyl

(Z)-(1RS)-cis-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate.

Chemical Family Pyrethroid Pesticide

Manufacturer Emergency telephone number

FMC Corporation

Agricultural Products Group For leak, fire, spill or accident emergencies, call: 1735 Market Street +1 800 / 424 9300 (CHEMTREC - U.S.A.)

Philadelphia, PA 19103 +1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries),

General Information: Medical Emergencies:

Phone: (215) 299-6000 (800) 331-3148 (U.S.A. & Canada)

E-Mail: msdsinfo@fmc.com +1 (651) 632-6793 (All Other Countries - Collect)

2. Hazards identification

Appearance White to off-white viscous liquid

Physical state liquid

Odor Latex

Potential health effects

Acute effects

Eyes May cause slight irritation.

Skin May cause sensitization by skin contact.

Inhalation May cause irritation of respiratory tract. May cause additional effects as listed under "Ingestion".Ingestion Toxic if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

May cause drowsiness and dizziness.

Chronic effects Repeated or prolonged exposure may cause central nervous system effects.

Environmental hazardVery toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

MSDS #: 6303-A **Revision Date:** 2012-04-26

Version 1

3. Composition/information on ingredients

Hazardous ingredients

| Chemical Name | CAS-No | Weight % |
|------------------|------------|----------|
| Bifenthrin | 82657-04-3 | 17.1 |
| Propylene glycol | 57-55-6 | 5-10 |

4. First aid measures

Eye contact Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses,

if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor

for further treatment advice.

Skin contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice.

Inhalation Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for

further treatment advice.

Ingestion Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of

water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or

doctor. Do not give anything by mouth to an unconscious person.

Notes to physician This product is a pyrethroid. If large amounts have been ingested, the stomach and intestines should

be evacuated. Treatment is symptomatic and supportive. Digestible fats, oils, or alcohol may increase

absorption and so should be avoided.

5. Fire-fighting measures

Flash Point No information available.

Sensitivity to Mechanical Impact not applicable Sensitivity to Static Discharge not applicable

Suitable extinguishing media Foam. Carbon dioxide (CO₂). Dry chemical. Soft stream or water fog only if necessary.

Protective equipment and precautions As in any fire, wear self-contained breathing apparatus and full protective gear.

for firefighters

NFPA

Health Hazard2Flammability1Stability0Special Hazards-

6. Accidental release measures

Personal precautions Isolate and post spill area. Wear suitable protective clothing, gloves and eye/face protection. For

personal protection see section 8.

Environmental precautions Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams,

ponds, and sewer drains.

Methods for containment Dike to prevent runoff.

Capture® LFR Soil Insecticide

MSDS #: 6303-A Revision Date: 2012-04-26

Version 1

Methods for cleaning upAbsorb with earth, sand or other non-combustible material and transfer to containers for later

disposal. Clean and neutralize spill area, tools and equipment by washing with bleach water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to

recycling or disposal. Dispose of waste as indicated in Section 13.

Other For further clean-up instructions call FMC Emergency Hotline number listed in Section 1 "Product

and Company Identification" above.

7. Handling and storage

Handling Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources

of ignition. Keep out of reach of children and animals. Store in original container only.

8. Exposure controls/personal protection

Exposure guidelines

| Chemical Name | British Columbia | Quebec | Ontario TWAEV | Alberta |
|------------------|------------------|--------|---------------------------------------|---------|
| Propylene glycol | | | TWA: 10 mg/m ³ TWA: 50 ppm | |
| 57-55-6 | | | TWA: 155 mg/m ³ | |

Occupational exposure controls

Engineering measures Apply technical measures to comply with the occupational exposure limits, When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and

wear the recommended equipment.

Personal Protective Equipment

General Information If the product is used in mixtures, it is recommended that you contact the appropriate protective

equipment suppliers, These recommendations apply to the product as supplied

Respiratory protection For dust, splash, mist or spray exposures wear a filtering mask.

Eye/face protection For dust, splash, mist or spray exposure, wear chemical protective goggles or a face-shield.

Skin and body protection Wear long-sleeved shirt, long pants, socks, shoes, and gloves.

Hand protection Protective gloves

Hygiene measures Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to

eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household

laundry.

9. Physical and chemical properties

Appearance White to off-white viscous liquid

Color white to off white

Physical state liquid
Odor Latex
nH 61

Melting Point/RangeNo information available.Freezing pointNo information available.

Capture® LFR Soil Insecticide

MSDS #: 6303-A **Revision Date:** 2012-04-26

Version 1

Boiling Point/Range not applicable

Flash Point No information available.

Evaporation rate not applicable **Autoignition Temperature** not applicable

Vapor pressureNo information availableVapor densityNo information availableDensity1.05 g/mL; 8.75 lb/galSpecific GravityNo information availableWater solubilityNo information availablePercent volatileNo information available

Partition coefficient: not applicable

Viscosity No information available

Oxidizing properties not applicable

10. Stability and reactivity

Stability Stable under recommended storage conditions.

Conditions to avoid Heat, flames and sparks

Hazardous decomposition products Carbon oxides, Hydrogen chloride, Hydrogen fluoride, Sulfur oxides.

Hazardous polymerization Hazardous polymerization does not occur

11. Toxicological information

Acute Toxicity

Large doses of bifenthrin ingested by laboratory animals produced signs of toxicity including convulsions, tremors and bloody nasal discharge. Bifenthrin does not cause acute delayed neurotoxicity. Experience to date indicates that contact with bifenthrin may occasionally produce skin sensations such as rashes, numbing, burning or tingling. These sensations are reversible and usually subside within 12 hours.

Eye contact Slightly or non-irritating (rabbit) **Skin contact** Slightly or non-irritating (rabbit)

 LD50 Dermal
 > 5,000 mg/kg (rabbit)

 LD50 Oral
 175 mg/kg (rat)

 LC50 Inhalation:
 > 2.28 mg/L 4 hr (rat)

Sensitization Non-sensitizing

Chronic Toxicity - Other Ingredient(s)

Chronic Toxicity Repeated or prolonged exposure may cause central nervous system effects.

Carcinogenicity Bifenthrin: Not recognized as carcinogenic by Research Agencies (IARC, NTP, OSHA, ACGIH).

Did not show carcinogenic effects in animal experiments.

Mutagenicity Bifenthrin: Not genotoxic

Neurological Effects Tremors were associated with chronic exposure of laboratory animals to bifenthrin, which may

disappear with continued exposure

Developmental ToxicityBifenthrin: Not teratogenic in animal studies.

MSDS #: 6303-A **Revision Date: 2012-04-26**

Version 1

Target Organ Effects

Bifenthrin: A slight increase in male mouse urinary bladder tumors at the highest dose was probably not of toxicological concern.

12. Ecological information

Ecotoxicity

Bifenthrin (82657-04-3)

| Active Ingredient(s) | Duration | Species | Value | Units |
|----------------------|-----------|-------------------|-------------|--------|
| Bifenthrin | EC50 | Aquatic organisms | 0.11 - 0.57 | μg/L |
| Bifenthrin | 96 h LC50 | Fish | 0.1 - 2.0 | μg/L |
| Bifenthrin | LD50 Oral | Bobwhite quail | >1800 | mg/kg |
| Bifenthrin | LD50 Oral | Mallard duck | >2150 | mg/kg |
| Bifenthrin | LD50 | Bee | 0.1 | μg/bee |

| Chemical Name | Toxicity to algae | Toxicity to fish | Toxicity to microorganisms | Toxicity to daphnia and other aquatic invertebrates |
|------------------|----------------------|-----------------------------|----------------------------|---|
| Propylene glycol | 19000 mg/L EC50 96 h | LC50 51600 mg/L | | EC50 > >10000 mg/L 24 h |
| | (Pseudokirchneriella | Oncorhynchus mykiss 96 h | | EC50 > >1000 mg/L 48 h |
| | subcapitata) | LC50 41 - 47 mL/L | | |
| | | Oncorhynchus mykiss 96 h | | |
| | | LC50 51400 mg/L Pimephales | | |
| | | promelas 96 h LC50 710 mg/L | | |
| | | Pimephales promelas 96 h | | |

Environmental Fate

Bifenthrin (82657-04-3)

| Diffitii iii (02037-04-3) | | |
|---------------------------|-------------------------------|--|
| Active Ingredient(s) | Type of Test | Result |
| Bifenthrin | Bioconcentration factor (BCF) | 1709 |
| Bifenthrin | Half-life in soil | ~85 days |
| Bifenthrin | log Pow | 6.6 |
| Bifenthrin | Mobility in soil | Not expected to reach groundwater |
| Bifenthrin | Stability in water | Stable to hydrolysis over a wide range of pH |
| | | values. |

13. Disposal considerations

Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot Waste disposal methods

be disposed of by use according to label instructions, contact appropriate disposal authorities for

guidance.

Contaminated packaging Containers must be disposed of in accordance with local, state and federal regulations. Refer to the

product label for container disposal instructions.

14. Transport information

DOT

Packaging Type Non-Bulk, Bulk

Proper shipping name Pyrethroid pesticide, liquid, toxic

Hazard Class 6.1

Capture® LFR Soil Insecticide

MSDS #: 6303-A **Revision Date:** 2012-04-26

Version 1

UN/ID No UN3352 Packing group III

Description UN3352, Pyrethroid pesticide, liquid, toxic (Bifenthrin), 6.1, PG III

TDG

Proper shipping name Pyrethroid pesticide, liquid, toxic

Hazard Class 6.1
UN/ID No UN3352
Packing group III
Marine pollutant Bifenthrin.

Description UN3352 Pyrethroid pesticide, liquid, toxic (Bifenthrin), 6.1 PG III, Marine Pollutant

ICAO/IATA

UN/ID No UN3352

Proper shipping name Pyrethroid pesticide, liquid, toxic

Hazard Class 6.1
Packing group III
Marine pollutant Bifenthrin.

Description UN3352 Pyrethroid pesticide, liquid, toxic (Bifenthrin), 6.1, PG III, Marine pollutant

IMDG/IMO

Proper shipping name Pyrethroid pesticide, liquid, toxic

Hazard Class 6.1
UN/ID No UN3352
Packing group III
EmS No. F-A, S-A
Marine pollutant Bifenthrin.

Description UN3352 Pyrethroid pesticide, liquid, toxic (Bifenthrin), 6.1, PG III, Marine Pollutant

15. Regulatory information

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | CAS-No | Weight % | SARA 313 - Threshold Values |
|---------------|------------|----------|-----------------------------|
| | | | % |
| Bifenthrin | 82657-04-3 | 17.1 | 1.0 |

SARA 311/312 Hazard Categories

Acute Health HazardyesChronic Health HazardyesFire HazardnoSudden Release of Pressure HazardnoReactive Hazardno

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

MSDS #: 6303-A **Revision Date: 2012-04-26**

Version 1

International Regulations

Mexico - Grade Moderate risk, Grade 2

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class D1B Toxic materials



16. Other information

Revision Date: 2012-04-26

Reason for revision: (M)SDS sections updated.

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. , Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. , Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By

FMC Corporation FMC Logo - Trademark of FMC Corporation

© 2012 FMC Corporation. All Rights Reserved

End of Material Safety Data Sheet