


Herbicide Trials

Herbicides were fairly equal in producing good yields in tobacco in 2000. Spartan applied pre-plant followed by Command pre-emergent and over-the-top of the tobacco, a treatment that has performed well in other years, produced a higher yield in Casey County than the untreated check.

Herbicide Trial


Boyle Co. - Bill Hundley Farm



HSD 0.05 = 121 417 279 618 Spartan = Spartan 4F,
 Spartan/Command = Spartan (Preplant) & Command (Post Transplant)

Herbicide Trial


Casey Co. - Greg Wethington Farm



HSD 0.05 = 224 425 245 580 Spartan = Spartan 4F,
 Spartan/Command = Spartan (Preplant) & Command (Post Transplant)

Herbicide Trial

Casey Co. - Greg Wethington Farm




	Prowl	Prowl+Spartan	Command+Spartan	Spartan	Spartan/Command	Weedy Check
■ Morningglory	92.5	100	100	100	100	95
■ Milkweed	87.5	96.25	97.25	88.75	83.75	72.5
■ Crabgrass	87.25	91.25	98.75	76.25	80	2.5
■ Trumpet Creeper	73.75	86.25	95.75	77.5	77.5	61.25

HSD 0.05 = 17.42 34.59 27.9 20.6 Spartan = Spartan 4F,
Spartan/Command = Spartan (Preplant) & Command (Post Transplant)

Herbicide Trial

Green Co. - Troy Bishop Farm



HSD 0.05 = 346 581 227 813 Spartan = Spartan 4F,
 Spartan/Command = Spartan (Preplant) & Command (Post Transplant)