

10820S01- BATH ACCESSORIES

Designers should specify bath accessories that are "heavy-duty", durable, serviceable, and are manufactured by reputable companies. When possible, they should be recessed or otherwise "built-in" to the construction. Replacement parts should be easily obtained.

1. Towel Dispensers:

The designer should specify stainless steel combination towel dispenser and waste receptacle. Recessed or surface-mounted. Roll towels only! No fold towels!

2. Soap Dispensers:

Liquid Soap dispenser, Horizontal Tank Type: Fabricate for surface mounting, sized for 40 fl. oz. minimum capacity. Provide stainless steel piston, springs, and internal parts designed to dispense soap in measured quantity by pump action. Provide cover type 304 stainless steel, with unbreakable window-type refill indicator. Built-in, recessed, ceramic tile or Stainless Steel soap dishes should be furnished in each shower and tub.

3. Sanitary Napkin Dispensers and Disposers:

Dispensers and disposers should be recessed stainless steel. One disposer should be located in each stall in every women's restroom and be installed at a convenient position. Disposers must not be installed behind water closets.

Napkin dispensers will not be required in every women's restroom. One or two dispensers per building, depending on size and type of occupancy, will usually be sufficient. Dispenser should be located in restroom which would receive the most use or be the most centrally located to female occupants. Assembly-type buildings, such as auditoriums, coliseums, and theaters, should have a dispenser in every women's restroom that is subject to use by the general public.