

UK UNIVERSITY OF KENTUCKY Purchasing Division

INVITATION FOR BIDS
MINES AND MINERALS FOAM ROOF
CCK-1683-10
ADDENDUM # 1
10-20-09

ATTENTION: This is not an order. Read all instructions, terms and conditions carefully.

IMPORTANT: BID AND ADDENDUM MUST BE RECEIVED BY 11-12-09 @ 3:00 P.M. LEXINGTON, KY TIME

Bidder must acknowledge receipt of this and any addendum as stated in the Invitation for Bids.

The following is the correct project description:

Fluid applied roofing

Fluid applied roofing shall be a complete system of compatible materials that will create a 15-year warranted urethane ALPHA foam and urethane membrane roof system and shall be approved for application on this specific project. Warranty shall be joint and severally by the Coatings manufacturer and the Contractor. Topcoat color shall be white.

1. The foam shall be applied evenly over in a manner that insures positive flow of water from the roof system to the drains and/or gutters.
2. Fluid-applied roofing shall be designated for application on the specific type of deck and/or roof material on this project.
3. Sand granules shall be applied to toughen the roof surface. (In every category, all system materials shall be equal or superior to those supplied and/or required by Neogard Inc. of Dallas, Texas and as specified elsewhere in this document.

OFFICIAL APPROVAL
UNIVERSITY OF KENTUCKY



Contracting Officer / (859) 257-5406

SIGNATURE

Typed or Printed Name

University of Kentucky
Purchasing Division
322 Peterson Service Building
Lexington, KY 40506-0005