
National Mapping Program

Topographic Map Symbols

National Large Scale Series



Standard edition maps



New or replacement standard edition maps



Provisional edition maps

Department of the Interior U.S. Geological Survey **National Mapping Division**

Map series and quadrangles

Each map in a U.S. Geological Survey series conforms to established specifications for size, scale, content, and symbolization. Except for maps which are formatted on a County or State hasis, USGS quadrangle series maps cover areas bounded by parallels of latitude and meridians of

Map scale

longitude.

Map scale is the relationship between distance on a map and the corresponding distance on the ground. Scale is expressed as a ratio, such as 1:25,000, and shown graphically by bar scales marked in feet and miles or in meters and kilometers.

Standard edition maps

Standard edition topographic maps are produced at 1:20,000 scale (Puerto Rico) and 1:24,000 or 1:25,000 scale (conterminous United States and Hawaii) in either 7.5 x 7.5-or 7.5 x 15-minute format. In Alaska, standard edition maps are available at 1:63,360 scale in 7.5 x 20 to 36-minute quadrangles. Generally, distances and elevations on 1:24,000scale maps are given in conventional units: miles and feet, and on 1:25,000-scale maps in metric units: kilometers and meters.

The shape of the Earth's surface, portrayed by contours, is the distinctive characteristic of topographic maps. Contours are imaginary lines which follow the land surface or the ocean bottom at a constant elevation above or below sea level. The contour interval is the elevation difference between adjacent contour lines. The contour interval is chosen on the basis of the map scale and on the local relief. A small contour interval is used for flat areas; larger intervals are used for mountainous terrain. In very flat areas, the contour interval may not show sufficient surface detail and supplementary contours at less than the regular interval are used.

The use of color helps to distinguish kinds of features:

Black—cultural features such as roads and buildings. Blue-hydrographic features such as lakes and rivers. Brown—hypsographic features shown by contour lines. Green-woodland cover, scrub, orchards, and vineyards. Red—important roads and public land survey system. Purple—features added from aerial photographs during map revision. The changes are not field checked.

(First printed version) Some quadrangles are mapped by a combination of orthophotographic images and map symbols. Orthophotographs are derived from aerial photographs by removing image displacements due to camera tilt and terrain relief variations. An orthophotoguad is a standard guadrangle format map on which an orthophotograph is combined with a grid, a few place names, and highway route numbers. An ortho-

> photomap is a standard quadrangle format map on which a color enhanced orthophotograph is combined with the normal

cartographic detail of a standard edition topographic map.

Provisional edition maps

Provisional edition maps are produced at 1:24,000 or 1:25,000 scale (1:63,360 for Alaskan 15-minute maps) in conventional or metric units and in either a 7.5 x 7.5- or 7.5 x 15-minute format. Map content generally is the same as for standard edition 1:24,000- or 1:25,000-scale quadrangle maps. However, modified symbolism and production procedures are used to speed up the completion of U.S. large-scale topographic map coverage.

The maps reflect a provisional rather than a finished appearance. For most map features and type, the original manuscripts which are prepared when the map is compiled from aerial photographs, including hand lettering, serve as the final copy for printing. Typeset lettering is applied only for features which are designated by an approved name. The number of names and descriptive labels shown on provisional maps is less than that shown on standard edition maps. For example, church, school, road, and railroad names are omitted.

Provisional edition maps are sold and distributed under the same procedures that apply to standard edition maps. At some future time, provisional maps will be updated and reissued as standard edition topographic maps.

National Mapping Program indexes

Indexes for each State, Puerto Rico, the U. S. Virgin Islands, the Pacific Islands, and Antarctica are available. Separate indexes are available for 1:100,000-scale quadrangle maps; 1:50,000- and 1:100,000-scale county maps: USGS/Defense Mapping Agency 15-minute (1:50,000-scale) maps; U. S. small scale maps (1:250,000, 1:1,000,000, 1:2,000,000 scale; State base maps; and U. S. maps); land use/land cover products; digital cartographic products; National Park maps; and orthophotoguads.

Provisional edition maps			Provisional edition maps			Provisional edition maps		
New or replacement standard edition maps			New or replacement standard edition maps			New or replacement standard edition maps		
Standard edition maps		Standard edition maps			Standard edition maps	1 1		
1 1			1 . 1			1 %		
CONTROL DATA AND MONUMENTS			Other land surveys:			RAILROADS AND RELATED FEATURES		
Aerial photograph roll and frame number Shown	Not Shown	3-20	Township or range line			Standard gauge single track; station		
Horizontal control:			Section line			Standard gauge multiple track		
Third order or better, permanent mark	Neace	Nesca	Land grant or mining claim; monument			Abandoned		
With third order or better elevation BM	ВМД	A Pike	Fence line			Under construction		
148	45.1	45.1				Narrow gauge single track		
Checked spot elevation	△19.5	Not Shown				Narrow gauge multiple track		
Coincident with section corner	Cactus	Cactus	ROADS AND RELATED FEATURES			Railroad in street		
Unmonumented Not Shown	Not Shown	+	Primary highway			Juxtaposition	+ + + + + +	++++
Vertical control:	201	2020	Secondary highway			Roundhouse and turntable		
Third order or better, with tablet BM×53	8M × 16.3	BM × 53.4	Light duty road					
Third order or better, recoverable mark	120.0	×313.6	Unimproved road			TRANSMISSION LINES AND PIPELINES		200
Bench mark at found section corner BM	BM	60.9	Trail			Power transmission line: pole; tower	1	119176 1
Spot elevation	18.6 × 5.3	× /7	Dual highway	-		Telephone or telegraph line		Telephone
Boundary monument:			Dual highway with median strip			Aboveground oil or gas pipeline		Pipeline
With tablet	BM 21.6	8M +71	Road under construction		U.C.	Underground oil or gas pipeline		Aboreground Preside
With tablet	21.6	T 71	Underpass; overpass	+1-1	-11-11			
With number and elevation 562 With number and elevation 562	171.3 67 _{301.1}	67 🗆 988	Bridge	1	1	CONTOURS		
	301.1	USMM	Drawbridge			Topographic:		
U.S. mineral or location monument	1	1	Tunnel			Intermediate		
						Index		
BOUNDARIES						Supplementary		
National			BUILDINGS AND RELATED FEATURES			Depression	C (50)	C 40
State or territorial			Dwelling or place of employment: small; large			Cut; fill	201.20	
County or equivalent			School; church			Bathymetric:	3 5000	1
Civil township or equivalent			Barn, warehouse, etc.: small; large	a //////		Intermediate	-	
Incorporated-city or equivalent			House omission tint			Index	-	
Park, reservation, or monument			Racetrack				-	Not
Small park			Airport	\sim	-4-	Primary		Shown
			Landing strip			Index Primary		
LAND SURVEY SYSTEMS			Well (other than water); windmill o z	0 X	0 1	Supplementary		
U.S. Public Land Survey System:			Water tank: small; large	. 0	. 0	MINES AND CAVES		
Township or range line			Other tank: small; large	. Ø	.0	Quarry or open pit mine ×	8:	8
Location doubtful			Covered reservoir	0 2772	Ø 27772	Gravel, sand, clay, or borrow pit	×.	
Section line		-	Gaging station 9			Mine tunnel or cave entrance	-	-40
Location doubtful			Landmark object	0	0	Prospect; mine shaft × m	x e	х е
Found section corner; found closing corner	4.1		Campground; picnic area	1 -	1 -	Mine dump	100	Mine
Witness corner; meander corner	wc	wc	Cemetery: small; large	+ Cem	[3] Cem	Tailings		Tailings
MC	MC	WC	Sometile and the second	1.750.00				(,,,,,,,,,)

Provisional edition maps			Provisional edition maps	
New or replacement standard edition maps		1 1	New or replacement standard edition maps	1
Standard edition maps			Standard edition maps	
SURFACE FEATURES			RIVERS, LAKES, AND CANALS	
Levee		Levee	Intermittent stream	
Sand or mud area, dunes, or shifting sand	Hayasa	Sand	Intermittent river	
Intricate surface area	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Strip)	Disappearing stream	
Gravel beach or glacial moraine		Grave/	Perennial stream	
Tailings pond		(Tailings)	Perennial river	
Visit of the Control	(District)	70.00	Small falls; small rapids	
VEGETATION			Large falls; large rapids	
Woods				
Scrub			Masonry dam	
Orchard				
Vineyard				
Mangrove	A COLUMN	Mangrove	Dam with lock	
MARINE SHORELINE				
Topographic maps:				
Approximate mean high water	-		Dam carrying road	
Indefinite or unsurveyed				
Topographic-bathymetric maps:			Intermittent lake or pond	
Mean high water	-	Not	Dry lake	
Apparent (edge of vegetation)	-	Shown	Narrow wash	
			Wide wash	
COASTAL FEATURES	4		Canal, flume, or aqueduct with lock	Wash
Foreshore flat		(Myd)	Elevated aqueduct, flume, or conduit	,
Rock or coral reef	WHITE TO	Poer	Aqueduct tunnel	
Rock bare or awash *	* **	*	Water well; spring or seep	
Group of rocks bare or awash ***	****	(* * * *)	Water Well, spring or seep	
Exposed wreck	3	1	GLACIERS AND PERMANENT SNOWFIELDS	100
Depth curve: sounding		Not Shown	Contours and limits	
Breakwater, pier, jetty, or wharf	1 Cu	SUL	Form lines	-
Seawall			SUBMERGED AREAS AND BOGS	
			Marsh or swamp	-
BATHYMETRIC FEATURES			Submerged marsh or swamp	
Area exposed at mean low tide; sounding datum			Wooded marsh or swamp	# 15 (1)
Channel		Not Shown	Submerged wooded marsh or swamp	·4
Offshore oil or gas: well; platform	0	Silowii	Rice field	
Sunken rock +	+		Land subject to inundation	
		- C		

(Second printed version)

Reading Topographic Maps

Interpreting the colored lines, areas, and other symbols is the first step in using topographic maps. Features are shown as points, lines, or areas, depending on their size and extent. For example, individual houses may be shown as small black squares. For larger buildings, the actual shapes are mapped. In densely built-up areas, most individual buildings are omitted and an area tint is shown. On some maps post offices, churches, city halls and other landmark buildings are shown within the tinted area.

The first features usually noticed on a topographic map are the area features such as vegetation (green), water (blue), some information added during update (purple), and densely built-up areas (gray or red).


Many features are shown by lines that may be straight, curved, solid, dashed, dotted, or in any combination. The colors of the lines usually indicate similar kinds or classes of information: topographic contours (brown); lakes, streams, irrigation ditches, etc. (blue); land grids and important roads (red); other roads and trails, railroads, boundaries, etc. (black); and some features that have been updated using aerial photography, but not field verified (purple).

Various point symbols are used to depict features such as buildings, campgrounds, springs, water tanks, mines, survey control points, and

Names of places and features also are shown in a color corresponding to the type of feature. Many features are identified by labels, such as "Substation" or "Golf Course."

Topographic contours are shown in brown by lines of different widths. Each contour is a line of equal elevation; therefore, contours never cross. They show the general shape of the

terrain. To help the user determine elevations, index contours are wider. Elevation values are printed in several places along these lines. The narrower intermediate and supplementary contours found between the index contours help to show more details of the land surface shape. Contours that are very close together represent steep slopes. Widely spaced contours, or an absence of contours, means that the ground slope is relatively level. The elevation difference between adjacent contour lines, called the contour interval, is selected to best show



Ground configuration shown by contours


the general shape of the terrain. A map of a relatively flat area may have a contour interval of 10 feet or less. Maps in mountainous areas may have contour intervals of 100 feet or more. The contour interval is printed in the margin of each U.S. Geological Survey (USGS) map.

Bathymetric contours are shown in blue or black depending on their location. They show the shape and slope of the ocean bottom surface. The bathymetric contour interval may vary on each map and is explained in the map margin.

Topographic Map Information

For more information about topographic maps produced by the USGS, please call 1-800-USA-MAPS.





U.S. Department of the Interior U.S. Geological Survey

What is a Topographic Map?

A map is a representation, of the Earth, or part of it. The distinctive characteristic of a topographic map is that the shape of the Earth's surface is shown by contour lines. Contours are imaginary lines that join points of equal elevation on the surface of the land above or below a reference surface such as mean sea level. Contours make it possible to measure the height of mountains, depths of the ocean bottom, and steepness of slopes.

A topographic map shows more than contours. The map includes symbols that represent such features as streets, buildings, streams, and woods. These symbols are constantly refined to better relate to the features they represent, improve the appearance or readability of the map, or to reduce production cost.

Consequently, within the same series, maps may have slightly different symbols for the same feature. Examples of symbols that have changed include built-up areas, roads, intermittent drainage, and some type styles. On one type of largescale topographic map, called provisional, some symbols and lettering are hand drawn.

The cover, a portion of the Elizabethtown, Kentucky, area, demonstrates how map symbols represent features on the Earth's surface. The bottom third, an aerial photograph, shows the Earth as seen from above; the middle part portrays some of the features on the aerial photograph that will be symbolized on the map; and the top third shows the finished map.

CONTROL DATA AND MONUMENTS Aerial photograph roll and frame number* 3-20 Horizontal control Neace Third order or better, permanent mark 4 BM With third order or better elevation △19.5 Checked spot elevation Coincident with section corner Cactus + Unmonumented* Vertical control BM × 16.3 Third order or better, with tablet Third order or better, recoverable mark 120.0 BM 18.6 Bench mark at found section corner Spot elevation × 5.3 **Boundary monument** With tablet Without tablet 171.3 67_{301.1} With number and elevation U.S. mineral or location monument CONTOURS **Topographic** Intermediate Index Supplementary (0) Depression Cut; fill Bathymetric Intermediate Index Primary **Index Primary** Supplementary BOUNDARIES __-National State or territorial County or equivalent ____ Civil township or equivalent Incorporated city or equivalent _----Park, reservation, or monument Small park -----

Provisional Edition maps were established to expedite completion of the remaining large scale topographic quadrangles of the conterminous United States. They contain essentially the same level of information as the standard series maps. This series can be easily recongnized by the title "Provisional Edition" in the lower right hand corner.


LAND SURVEY SYSTEMS		
U.S. Public Land Survey System		
Township or range line		
Location doubtful		
Section line		
Location doubtful		
Found section corner; found closing corner	-+-1-	
Witness corner; meander corner	WC + MC	
Other land surveys		
Township or range line	***********	
Section line		
Land grant or mining claim; monument	0	
Fence line		
SURFACE FEATURES		
Levee		Levee
Sand or mud area, dunes, or shifting sand	172	(Sand)
Intricate surface area		Strip (mine)
Gravel beach or glacial moraine		Grave/
Tailings pond		(Padings)
MINES AND CAVES		
Quarry or open pit mine	*	
Gravel, sand, clay, or borrow pit	×	
Mine tunnel or cave entrance	\rightarrow	
Prospect; mine shaft	X m	
Mine dump		Mine dump.
Tailings		Tailings
VEGETATION		
Woods		
Scrub		
Orchard		
Vineyard		
Mangrove	W. Co.	Mangrouc
GLACIERS AND PERMANENT SNOWFIE	LDS	
Contours and limits		
Form lines		
MARINE SHORELINE		
Topographic maps		
Approximate mean high water	_	
Indefinite or unsurveyed		
Topographic-bathymetric maps		
Mean high water		

Apparent (edge of vegetation)

COASTAL FEATURES Foreshore flat Rock or coral reef Rock bare or awash **** Group of rocks bare or awash Exposed wreck 4 1 Depth curve; sounding 3 Breakwater, pier, jetty, or wharf rnn Seawall **BATHYMETRIC FEATURES** Area exposed at mean low tide; sounding datum Channel Offshore oil or gas: well; platform Sunken rock + RIVERS, LAKES, AND CANALS Intermittent stream Intermittent river Disappearing stream Perennial stream Perennial river Small falls; small rapids 5 5 Large falls; large rapids Masonry dam Dam with lock Dam carrying road Perennial lake; Intermittent lake or pond () (-) Dry Dry lake Narrow wash Wash Wide wash Canal, flume, or aqueduct with lock Elevated aqueduct, flume, or conduit Acres Aqueduct tunnel Well or spring; spring or seep SUBMERGED AREAS AND BOGS Marsh or swamp --Submerged marsh or swamp _---Wooded marsh or swamp Submerged wooded marsh or swamp ---Rice field I I I Rice

May Pool 411

Land subject to inundation



Primary highway	
Secondary highway	
Light duty road	
Unimproved road	
Trail	
Dual highway	
Dual highway with median strip	
Road under construction	======================================
Underpass; overpass	+1-+
Bridge	+++ ++
Drawbridge	
Tunnel	

RAILROADS AND RELATED FEATURES

Standard gauge single track; station	+ + + +
Standard gauge multiple track	
Abandoned	
Under construction	
Narrow gauge single track	*
Narrow gauge multiple track	
Railroad in street	
Juxtaposition	************************************

TRANSMISSION LINES AND PIPELINES

Roundhouse and turntable

Power transmission line: pole; tower	1 1		
Telephone line	Telephone		
Aboveground oil or gas pipeline			
Underground oil or gas pipeline	Pireline		

^{*}Provisional Edition maps only