Tract Field No. Acres Soil Test P V	/alue (Mehlich :	31 120					
H2 32	value (IMELIIICIT)	J) 120					
1. Crop or Crop Sequence/Rotation		Wheat Silage (T	on)				
2.Realistic Yield (Average from 5-10 Years on a per acre basis)[6.0					
_	N	P ₂ 0 ₅	K₂0	-			
3 . Plant Nutrients Needed or Allowed (lbs/ac)	264	24	120	-			
4. Adjusted P₂O₅ Application Rate According to Threshold		0					
5 . Fertilizer Credits (Ibslac)							
6 . Plant Nutrients Needed Minus Credits (Ibs/ac)	264	24	120	-			
7 . Nutrients in Manure (Ibs/ton) Enter lab results in box on right to override Worksheet 1 values	10.6	4.9	8.1		Enter Lab Results Here to Overri Calculations From Worksheet 1		
3 . Percent Nutrients Retained in System Table 1	80%	95%	95%	N	Step 7 P205	K20	
Enter Table 1 values or Enter zero if lab results are used in Step 7				_			
3 . Net Retained Nutrients in Manure (lbs.#on)	8.5	4.7	7.7	-			
D. Percent of Available Nutrients [40%	80%	100%	-			
Table 2				-			
1. Net Available Nutrients (lbs./ton)	3.4	3.7	7.7	-			
2 . Application Rate (tons/ac) Application limitations may apply.	4	4	4		hosen Application	n Bate	
Enter Chosen Application Rate in box on right					MUST ENTER		
3 . Net Application Amount for All Nutrients (Ibs/ac)	14	15	31		4		
4 . Nutrient Needs (-) or Surpluses (+) (lbs/ac)	-250	-9	-89				
Tons Available <u>184</u> - Tons Applied in Field	128	_ = Balance	56				

SOLIDS WORKSHEET 2 - NUTRIENT BALANCE							
Tract Field No. Acres Soil Test P H7 32	Value (Mehlich 3	450					
1. Crop or Crop Sequence/Rotation		Wheat Silage (1	Ton)	• 401-600 STP - Phosphorus applications at rates not to			
2 . Realistic Yield (Average from 5-10 Years on a per acre basis)		6.0		exceed the estimated removal of phosphorus in the harvested plant biomass.			
	N	P ₂ 0 ₅	K₂0	 601-800 STP - Phosphorus applications at rates not to exceed 1/2 of the estimated removal of phosphorus in the 			
3 . Plant Nutrients Needed or Allowed (lbs/ac)	264	24	120	harvested plant biomass.			
	·			> 800 STP - Phosphorus applications are no longer			
4 . Adjusted P₂O₅ Application Rate According to Threshold		24		allowed (manure may not be land applied in accordance with this guidance.			
5 . Fertilizer Credits (lbs/ac)							
6 . Plant Nutrients Needed Minus Credits (Ibs/ac)	264	24	120	-			
7 . Nutrients in Manure (Ibs/ton)	10.6	4.9	8.1	Enter Lab Results Here to Overrid			
Enter lab results in box on right to override Worksheet 1 values				Calculations From Worksheet 1 or			
8 . Percent Nutrients Retained in System	80%	95%	95%	Step 7 N P205 K20			
First Worksheet 2 values are used or zero if lab results are used		•	•				
9 . Net Retained Nutrients in Manure (lbs./ton)	8.5	4.7	7.7				
0 . Percent of Available Nutrients	40%	80%	100%	-			
Enter Table 2 value for N							
11 . Net Available Nutrients (lbs./ton)	3.4	3.7	7.7				
2 . Application Rate (tons/ac)	2	2	2				
Application limitations may apply.		ceed phosphorus		Chosen Application Rate			
Enter Chosen Application Rate in box on right 3 . Net Application Amount for All Nutrients (Ibs/ac)	Impleme 7	<mark>ent a phosphorus d</mark> 7	drawdown plan. 15	MUST ENTER 2			
• Net Application Amount for All Numerics (10840)	<u> </u>	1 '	1 10				
4 . Nutrient Needs (-) or Surpluses (+) (lbs/ac)	-257	-17	-105				
Tons Available <u>56</u> - Tons Applied in Field	64	= Balance	Applied more than Available	Co. to Westerbest 2.5. III			
				Go to Worksheet 3 Solids			

Trac	ct No.									
Field No. Acres		Acres Phosphorus S	Crop Rotation /	Planned Application Date	Planned Application Rate ²	Solid or Commercial Fertilizer	Actual Application Date	Actual Application Rate ²	Weather at Time of Application ³ (Cloudy, Raining, Sunny)	
		(STP)		or Timing	(tons/ac)	(S or C)		(tons/ac)	24 Hours Before	24 Hours After
H2	32	120	Wheat Silage (Ton)	Fall 2020	4					
H7	32	450	Wheat Silage (Ton)	Fall 2020	2					
0	0	0	0		0					
0	0	0	0		0					
0	0	0	0		0					
0	0	0	0		0					
0	0	0	0		0					
0	0	0	0		0					
0	0	0	0		0					
0	0	0	0		0					

^{1.} Where land application is occurring under long term lease or agreement with adjacent landowner, fields must be included in the above table.

For the solid manure, the notes indicate solid manure to go on fields H2 & H7. In this situation, both fields have high soil test phosphorus and this would not be the best utilization of the manure, but these are the only two field where they can apply solid manure.

^{2.} Fields that have a "High" soil test phosphorus (>400) should implement Best Management Practices (BMPs) to reduce the risk of nutrient movement to sensitive waterbodies. BMPs may include, but not be limited to: installing conservation buffers, reducing P2O5 application rate, incorporating manure, adding chemical treatments to litter that tie up soluble P and keep it from moving over the landscape, and/or adjusting application timing.

^{3.} It illegal to make land applications when the ground is frozen. It is recommended that land applications are not made within 48 hours of forecasted precipitation.

LIQUIDS WORKSHEET 2 - NUTRIENT BALANCE				
Tract Field No. Acres Soil Test F	^o Value (Mehlich 3)	79		
1. Crop or Crop Sequence/Rotation		Barley Grain (Bu	shel)	
2 . Realistic Yield (Average from 5-10 Years on a per acre basis)	70.0		
	N	P ₂ 0 ₅	K₂0	
3 . Plant Nutrients Needed or Allowed (Ibs/ac)	69	29	22	
A Adicated D. O. Acadication Data According to Thomseld		0		
4 . Adjusted P₂O₅ Application Rate According to Threshold				
5 . Fertilizer Credits (Ibs/ac)				
6 . Plant Nutrients Needed Minus Credits (Ibs/ac)	69	29	22	
7 . Nutrients in Manure (Ibs/1,000 gallons) Enter lab results in box on right to override Worksheet 1 values	2.0	1.0	2.0	Enter Lab Results Here to Overrid Calculations From Worksheet 1 or
8 . Percent Nutrients Retained in System Table 1	35%	50%	65%	Step 7 N P205 K20
Enter Table 1 values or Enter zero if lab results are used in Step 7				2 1 2
9 . Net Retained Nutrients in Manure (Ibs/1,000 gallons)	2.0	1.0	2.0	
10 . Percent of Available Nutrients	50%	80%	100%	
Enter Table 2 value for N Table 2				
11 . Net Available Nutrients (lbs/1,000 gallons)	1.0	0.8	2.0	
12 . Application Rate (1,000 gallons/ac) Application limitations may apply.	5	5	5	Chosen Application Rate MUST ENTER
Enter Chosen Application Rate in box on right				5
13 . Net Application Amount for All Nutrients (Ibs/ac)	5	4	10	
14 . Nutrient Needs (-) or Surpluses (+) (lbs/ac)	-64	-25	-12	
Gallons Available <u>356,664</u> - Gallons Applied in Fie	lc <u>55,000</u>	_ = Balance	301,664	Go to Worksheet 3 Liquids
				GO TO MORANGET S Enquius

LIQUIDS WORKSHEET 2 - NUTRIENT BALANCE				
Tract Field No. Acres Soil Test P	Value (Mehlich 3	36		
1. Crop or Crop Sequence/Rotation		Barley Grain (Bus	shel)	
2. Realistic Yield (Average from 5-10 Years on a per acre basis)		70.0		
	N	P ₂ 0 ₅	K₂0	
3 . Plant Nutrients Needed or Allowed (lbs/ac)	69	29	22	
4 . Adjusted P₂O₅ Application Rate According to Threshold		0		
5 . Fertilizer Credits (Ibs/ac)				
6 . Plant Nutrients Needed Minus Credits (Ibs/ac)	69	29	22	
7 . Nutrients in Manure (Ibs/1,000 gallons) Enter lab results in box on right to override Worksheet 1 values	2.0	1.0	2.0	Enter Lab Results Here to Override Calculations From Worksheet 1 on
8 . Percent Nutrients Retained in System First Worksheet 2 values used or zero if lab results are used	0%	0%	0%	Step 7 N P205 K20 2 1 2
9 . Net Retained Nutrients in Manure (Ibs/1,000 gallons)	2.0	1.0	2.0	
10 . Percent of Available Nutrients Enter Table 2 value for N Table 2	50%	80%	100%	
11. Net Available Nutrients (lbs/1,000 gallons)	1.0	0.8	2.0	
12 . Application Rate (1,000 gallons/ac) Application limitations may apply.	5	5	5	Chosen Application Rate MUST ENTER
Enter Chosen Application Rate in box on right 13 . Net Application Amount for All Nutrients (1,000 gallons/ac)	5	4	10	5
14 . Nutrient Needs (-) or Surpluses (+) (Ibs/ac)	-64	-25	-12	
Gallons Available <u>301,664</u> - Gallons Applied in Field	95,000	= Balance	206,664	Go to Worksheet 3 Liquids

Tract Field No. Acres Soil Test P V	Value (Mehlich 3)	126]				
1. Crop or Crop Sequence/Rotation		Wheat Grain (Bu	shel)				
? . Realistic Yield (Average from 5-10 Years on a per acre basis)		60.0					
3 . Plant Nutrients Needed or Allowed (Ibs/ac)	N 90	P ₂ 0 ₅	K₂0 20				
I. Adjusted P₂O₅ Application Rate According to Threshold		0					
5 . Fertilizer Credits (Ibs/ac)							
6 . Plant Nutrients Needed Minus Credits (Ibs/ac)	90	36	20				
7 . Nutrients in Manure (lbs./1,000 gallons) Enter lab results in box on right to override Worksheet 1 values	2.0	1.0	2.0			Results Here to ons From Works	
3 . Percent Nutrients Retained in System First Worksheet 2 values used or zero if lab results are used	0%	0%	0%		N 2	Step 7 P205	K20 2
3. Net Retained Nutrients in Manure (lbs/1,000 gallons)	2.0	1.0	2.0	-			
D. Percent of Available Nutrients Enter Table 2 value for N Table 2	50%	80%	100%				
I. Net Available Nutrients (lbs/1,000 gallons)	1.0	0.8	2.0				
2 - Application Rate (1,000 gallons/ac) Application limitations may apply.	25	25	25		Cho:	sen Application. MUST ENTER	Rate
Enter Chosen Application Rate in box on right 3. Net Application Amount for All Nutrients (1,000 gallons/ac)	25	20	50	0	ne time ac	25 plication rate should	d not excee
. Nutrient Needs (-) or Surpluses (+) (Ibs/ac)	-65	-16	30			ns per acre (or 1/2 in	
Gallons Available <u>206,664</u> - Gallons Applied in Fielc	200,000	= Balance	6,664	,		o Worksheet 3 Liq	

Trac	t No.									
Field No.	Acres	Soil Test Phosphorus	Crop Rotation /	Planned Application Date	Planned Application Rate ²	ation Commercial Actual Application (Cloudy, Rai		me of Application ³ aining, Sunny)		
		(STP)	2044	or Timing	(1,000 gal/ac)	(L or C)	Application 2 and	(1,000 gal/ac)	24 Hours Before	24 Hours After
H6	11	79	Barley Grain (Bushel)	Fall 2020	5					
Н5	19	36	Barley Grain (Bushel)	Fall 2020	5					
H10	8	126	Wheat Grain (Bushel)	Fall 2020	25					
0	0	0	0		0					
0	0	0	0		0					
0	0	0	0		0					
0	0	0	0		0					
0	0	0	0		0					
0	0	0	0		0					
0	0	0	0		0					

^{1.} Where land application is occurring under long term lease or agreement with adjacent landowner, fields must be included in the above table.

In fall 2017 fields H5 & H6 can only receive 5,000 gallons per acre because the farmer will not compromise. The rest of the liquid manure only has one field it can go on (H10). Field H10 is a cover crop (usually wheat) but it will be burnt down. So all the manure/nutrients on field H 10 will go back to the soil because we are not taking a plant off. We can apply 25,000 G/ac because the nutrients in the lagoon are low, but it will need to be a split application. It would be best if the farmer would apply all the liquid manure to the barley crop (especially field H5) because it will be taken off as a crop.

^{2.} Fields that have a "High" soil test phosphorus (>400) should implement Best Management Practices (BMPs) to reduce the risk of nutrient movement to sensitive waterbodies. BMPs may include, but not be limited to: installing conservation buffers, reducing P2O5 application rate, incorporating manure, adding chemical treatments to litter that tie up soluble P and keep it from moving over the landscape, and/or adjusting application timing.

^{3.} It illegal to make land applications when the ground is frozen. It is recommended that land applications are not made within 48 hours of forecasted precipitation.